













Founded in 1986, Videx designs and manufactures video/audio door entry systems and access controls, standing among the leading companies in the field worldwide.

The variety of the range, quality, service, and the continuity of a purely "Made in Italy" brand have been key factors for Videx Success through its 30 years history.

Our Company exports 95% of the production to more than 45 countries all over the world, offering unique solutions ranging from one or two way systems to complex systems with thousands of apartments.

Videx manufactures using only the highest quality components from a select number of well established Italian companies in order to guarantee the highest standards. Our quality control procedures ensure we deliver a first class product to our customers.

VIDEX have been UNLISO 9001 certified since 2005.

VIDEX is socially and environmentally responsible, producing its own clean energy and using it to run it's purpose build factory: two solar panel systems, accounting for 200Kw power, entirely fulfil its needs. Solar panels have been installed on the plant roof ensuring zero environmental impact.



AUDIO & VIDEO KIT CATALOGUE

2020

Audiokit

pag. 5

Part number composition pag. 6 Symbols legend pag. 6 Glossary pag. 6 Packaging guide pag. 7



Videokits

pag. 21

Part number composition pag. 22 Symbols legend pag. 22 Glossary pag. 22 Packaging guide pag. 23







Outdoor stations

8000 Series page 54 4000 Series page 56

Indoor stations

6200 and 6300 Series page 58 6400 and 6700 Series page 59 Kristallo® Series page 60 3600 and 5000 Series page 61



8000 SERIES		PAGI
8K	(STANDARD 3+1 AUDIO)	3
8KC Digiphone	(STANDARD 3+1 AUDIO) (DIGITAL CODELOCK)	ç
IK8K Interkit	(STANDARD 4+1 AUDIO) (INTERCOMMUNICATING)	10
4000 SERIES		
4K	STANDARD 3+1 AUDIO	11
4KC Digiphone	(STANDARD 3+1 AUDIO) (CODELOCK UNIT)	12
4KX Vproxphone	(STANDARD 3+1 AUDIO) (PROXIMITY READER)	13
VRK	(STANDARD 4+1 AUDIO) (VANDAL RESISTANT)	14
VRKC Digiphone	(STANDARD 4+1 AUDIO) (VANDAL RESISTANT) (CODELOCK UNIT)	15
GSM4K	(GSM) (PROXIMITY READER)	16
GSM4KCR Digiphone	(GSM) (PROXIMITY READER) (CODELOCK UNIT)	17
GSMVRK	(GSM) (VANDAL RESISTANT)	18
GSMVRKC Digiphone	(GSM) (VANDAL RESISTANT) (CODELOCK UNIT)	19
SLIM SERIES		
SLK Slim Kit	STANDARD 3+1 AUDIO	20

Part number composition

OUTDOOR STATION AUDIOKIT GSM NETWORK CALL BUTTONS AND FRONT PLATE (ONLY GSM KITS) **MOUNTING FINISH** 8K -1: One way, flush **8000 SERIES AUDIOKITS:** 8K n/a: GSM 2G -1S: One way, surface /3G: GSM 3G 8KC none: Mirror stainless steel IK8K -2: Two ways, flush /A: Aluminium GSM 3G option is 4K -25: Two ways, surface available only for: 4KC **4000 SERIES AUDIOKITS:** GSM4K Flush option is not available for 4KX none: Mirror finished stainless steel GSM4KCR GSMVRK **VRK** /M: Matte finished stainless steel GSMVRKC /A: Anodized aluminium **VRKC** GSM4K **GSM4KCR GSMVRK GSMVRKC SLK**

Symbols legend

System connection



STANDARD 3+1 AUDIO



STANDARD 4+1 AUDIO



GSM

Outdoor station features



Vandal resistant



Proximity reader



Codelock unit



Intercommunicating

Glossary

Busy LED	Advise that the system is busy i.e. multiple entrance system
Ring LED	Advise that the call is in progress
Speak LED	Advise that the conversation has started
Door open LED	Advise that the door is open
ON LED	Advise that the videophone is switched ON
Service button	A button used to enable an additional service, may require an additional connection
Privacy	Service that allows to temporarily disable the call
Intecommunicating call	Service to start an intercommunication
Camera recall	Service to power up the system and see the camera in stand by
Push to talk	Service to enable the "push to talk" communication mode
Push to exit	Active low input that enables the integral relay



SUPPORT FINISH

/BL

INDOOR STATION

INTERCOM MODEL

/3011

8000 SERIES AUDIOKITS:

none: Aluminium /BL: Black

4000 SERIES AUDIOKITS:

none: Embossed metallized gun metal grey

/AP: Aluminium Painted

Packaging guide

Colour explanation (depending on the kit version)

4K-1	4K-2	4KC-1	4KX-1
8K-1	8K-2	8KC-1	
GSM4K		GSM4KCR	
GSMVRK		GSMVRKC	



Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series	
Speaker unit (1 module)	Speaker unit (1 modules)	Speaker unit (1 module)	
Speaker unit plus access control (2 modules)	Speaker unit plus access control (2 modules)	Speaker unit plus access control (2 modules)	

8K Audiokit





	8K-1	8K-1S	8K-2	8K-2S	
CONNECTION	-	STANDARD	3+1 AUDIO		
OUTDOOR STATION	8000 Series				
SPEAKER UNIT MODULE	1 x 8836M-1 1 x 8836M-2				
CALL BUTTONS		1	2	2	
DOOR OPENING		Built-in L	ock Relay		
CALL		Electronic	Call Tone		
MOUNTING BOX	1 x 8851 1 x 8881 1 x 8851 1 x 8				
PROTECTVE FRAME	1 x 8861	_	1 x 8861	_	
RAINSHIELD OPT.1	8871	_	8871	_	
Size	1 module				
Mounting	Flush	Surface	Flush	Surface	
INDOOR STATION	1 x :	3011	2 x 3	8011	
SERIES	3000 Series Smart Range				
CALL		Electronic	Call Tone		
BUTTONS		1: Door	r open		
CONTROLS	Call tone volume (3 Levels)				
MOUNTING	Surface				
POWER SUPPLY UNIT	1 x 321				
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA				
Size	3 Modules A Type DIN Box (52.5x105x65mm)				
Mounting		DIN bar or dir	ect wall fixing		
PACKAGING		Gift	box		
Size	29x29.	.5x7cm	40x29.	5x7cm	
WEIGHT	1.4Kg	1.8Kg	1.7Kg	2.2Kg	




¹ To be ordered separately



	8KC-1	8KC-1S	8KC-2	8KC-2S	
CONNECTION		STANDARD	3+1 AUDIO		
OUTDOOR STATION	8000 Series				
SPEAKER UNIT MODULE	1 x 88	336M-1	1 x 88 :	36M-2	
CALL BUTTONS		1	2	2	
DOOR OPENING		Built-in L	ock Relay		
CALL		Electronic	: Call Tone		
CODELOCK UNIT		1 x 8	800		
CODES / RELAYS		2 .	/ 2		
ILLUMINATION	Yes				
MOUNTING BOX	1 x 8852	1 x 8882	1 x 8852	1 x 8882	
PROTECTVE FRAME	1 x 8862	_	1 x 8862	_	
RAINSHIELD OPT.1	8872	_	8872	_	
Size	2 modules				
MOUNTING	Flush	Surface	Flush	Surface	
INDOOR STATION	1 x	3011	2 x 3	8011	
SERIES		3000 Series	Smart Range		
CALL		Electronic	Call Tone		
BUTTONS		1: Doo	r open		
CONTROLS		Call tone volu	ıme (3 Levels)		
MOUNTING		Sur	face		
POWER SUPPLY UNIT		1 x	321		
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA				
Size	3 M	Modules A Type DIN	Box (52.5x105x65m	nm)	
Mounting		DIN bar or dir	ect wall fixing		
PACKAGING		Gift	box		
Size	29x29	.5x7cm	40x29.	5x7cm	
WEIGHT	2.1Kg	2.6Kg	2.8Kg	3.3Kg	



¹ To be ordered separately



	IK8K-1	IK8K-1S	IK8K-2	IK8K-2S	
CONNECTION		STANDARD	4+1 AUDIO		
OUTDOOR STATION	8000 Series				
SPEAKER UNIT MODULE	1 x 8836i-1 1 x 8836i-2				
CALL BUTTONS		1	2	2	
DOOR OPENING		Built-in L	ock Relay		
CALL		Electronic	Call Tone		
MOUNTING BOX	1 x 8851	1 x 8881	1 x 8851	1 x 8881	
PROTECTVE FRAME	1 x 8861	_	1 x 8861		
RAINSHIELD OPT.1	8871	_	8871	_	
SIZE	1 module				
Mounting	Flush	Surface	Flush	Surface	
INDOOR STATION	2 x 3002				
SERIES	3000 Series Smart Range				
CALL	Electronic Call Tone				
Buttons		2: Door op	en, Service		
CONTROLS		Call tone volu	ıme (3 Levels)		
MOUNTING		Sur	face		
POWER SUPPLY UNIT	1 x 321				
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA				
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)				
MOUNTING	DIN bar or direct wall fixing				
PACKAGING		Gift	box		
SIZE	29x29.5x7cm				
WEIGHT	2.1Kg	2.2Kg	2.1Kg	2.2Kg	

SPECIAL FEATURES					
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement				

¹ To be ordered separately

4K Audiokit





	4K-1	4K-1S	4K-2	4K-2S		
CONNECTION	STANDARD 3+1 AUDIO					
OUTDOOR STATION	4000 Series					
SPEAKER UNIT MODULE	1 x 4836-1 1 x 4836-2					
CALL BUTTONS		1	2	2		
DOOR OPENING		Built-in L	ock Relay			
CALL		Electronic	Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881		
RAINSHIELD OPT.1	4871	4891	4871	4891		
SIZE		1 mo	dule			
Mounting	Flush Surface		Flush	Surface		
INDOOR STATION	1 x 3011 2 x 3011					
SERIES	3000 Series Smart Range					
CALL		Electronic	Call Tone			
BUTTONS		1: Doo	r open			
CONTROLS		Call tone volu	ıme (3 Levels)			
MOUNTING		Surl	face			
POWER SUPPLY UNIT		1x	321			
INPUT/OUTPUT/VA		230Vac / 12	2Vac / 15VA			
Size	3 M	odules A Type DIN	Box (52.5x105x65m	ım)		
MOUNTING		DIN bar or dir	ect wall fixing			
PACKAGING		Gift	box			
SIZE	29x29.	5x7cm	40x29.	5x7cm		
WEIGHT	2Kg	2.3Kg	2.3Kg	2.6Kg		



¹ To be ordered separately



	4KC-1	4KC-1S	4KC-2	4KC-2S		
CONNECTION		STANDARD	3+1 AUDIO			
OUTDOOR STATION		4000	Series			
SPEAKER UNIT MODULE	1 x 4 8	836-1	1 x 48	836-2		
CALL BUTTONS		1	:	2		
DOOR OPENING		Built-in L	ock Relay			
CALL		Electronic	: Call Tone			
CODELOCK UNIT		1 x 4	÷901			
CODES / RELAYS		3 /	/ 3			
ILLUMINATION	Yes, back-lit buttons					
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882		
RAINSHIELD OPT.1	4872	4892	4872	4892		
SIZE		2 mo	dules			
Mounting	Flush	Surface	Flush	Surface		
INDOOR STATION	1x3	3011	2 x :	3011		
SERIES	3000 Series Smart Range					
CALL		Electronic	: Call Tone			
Buttons	1: Door open					
CONTROLS		Call tone volu	ıme (3 Levels)			
MOUNTING		Surl	face			
POWER SUPPLY UNIT		1 x	321			
INPUT/OUTPUT/VA		230Vac / 12	2Vac / 15VA			
Size	3 M	lodules A Type DIN	Box (52.5x105x65n	nm)		
MOUNTING		DIN bar or dir	ect wall fixing			
PACKAGING		Gift	box			
Size	29x29.	.5x7cm	40x29.	.5x7cm		
WEIGHT	2.4Kg					



¹ To be ordered separately



	4KX-1	4KX-1S	4KX-2	4KX-2S	
CONNECTION	STANDARD 3+1 AUDIO				
OUTDOOR STATION	4000 Series				
SPEAKER UNIT MODULE	1 x 4 8	836-1	1 x 48	336-2	
CALL BUTTONS		1	2	2	
DOOR OPENING		Built-in Loc	k Relay Dry		
CALL		Electronic	: Call Tone		
PROXIMITY READER UNIT		1 x 4	850		
KEYS / RELAYS		Up to	100 / 1		
LED		Ye	es		
RFID FREQUENCY	125KHz				
Fobs	3 x 955/C o	ard format	6 x 955/C c	ard format	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT.1	4872	4892	4872	4892	
Size	2 modules				
MOUNTING	Flush	Surface	Flush	Surface	
INDOOR STATION	1 x 3	3011	2 x 3	8011	
SERIES		3000 Series	Smart Range		
CALL		Electronic	Call Tone		
BUTTONS		1: Doo	r open		
CONTROLS		Call tone volu	ıme (3 Levels)		
MOUNTING	Surface				
POWER SUPPLY UNIT		1 x	321		
INPUT/OUTPUT/VA		230Vac / 12	2Vac / 15VA		
Size	3 M	odules A Type DIN	Box (52.5x105x65m	nm)	
MOUNTING		DIN bar or dir	ect wall fixing		
PACKAGING		Gift	box		
Size	29x29.	5x7cm	40x29.	5x7cm	
WEIGHT	2.9Kg	3.3Kg	3.2Kg	3.6Kg	



¹ To be ordered separately

VRK Audiokit One way or two way vandal resistant audiokit STANDARD Vandal resistant The property of the pro

	ı	I	I	ı
	VRK-1	VRK-1S	VRK-2	VRK-2S
CONNECTION		STANDARD	4+1 AUDIO	
OUTDOOR STATION		4000 Series Va	ndal Resistant	
SPEAKER UNIT MODULE	1 x VR 4	4KAM-1	1 x VR4	KAM-2
LEDs		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ıilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	: Call Tone	
MOUNTING BOX	1 x 4851 1 x 4881 1 x 4851 1 x			
RAINSHIELD OPT.1	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface		
INDOOR STATION	1 x 3111 2 x 3111			3111
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS		2: Door op	en, Service	
CONTROLS		Call tone volu	ume (3 levels)	
MOUNTING		Surf	face	
POWER SUPPLY UNIT		1 x 5	20M	
INPUT/OUTPUTS/VA		230Vac / 12Vdc - 8	Vdc - 13Vac / 13VA	
Size	8 Modules A Type DIN Box (140x65x105mmmm)			ımm)
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
Size	29x29.5x7cm			
WEIGHT	2.1Kg	2.4Kg	2.4Kg	2.8Kg

¹ To be ordered separately



	VRKC-1	VRKC-1S	VRKC-2	VRKC-2S	
CONNECTION	STANDARD 4+1 AUDIO				
OUTDOOR STATION	4000 Series Vandal Resistant				
SPEAKER UNIT MODULE	1 x VR 4	∔KAM-1	1 x VR 4	KAM-2	
LEDs		3: Speak, Bus	y, Door Open		
CALL BUTTONS		1	:	2	
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC,	NO	
CALL		Electronic	: Call Tone		
CODELOCK UNIT		1 x VF	R4901		
CODES / RELAYS	3/3				
ILLUMINATION		Yes, back-	lit buttons		
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT.1	4872	4892	4872	4892	
Size	2 modules				
Mounting	Flush	Surface	Flush	Surface	
INDOOR STATION	1 x 3111 2 x 3111		3111		
SERIES		3000 Series Smart Range			
CALL		Electronic	: Call Tone		
BUTTONS		2: Door op	en, Service		
CONTROLS		Call tone volu	ıme (3 levels)		
MOUNTING	Surface				
POWER SUPPLY UNIT	1 x 520M				
INPUT/OUTPUTS/VA	230Vac / 12Vdc - 8Vdc - 13Vac / 13VA				
Size	8 Mo	dules A Type DIN B	ox (140x65x105mm	nmm)	
MOUNTING		DIN bar or dir	ect wall fixing		
PACKAGING	Giftbox				
Size	40x29.5x7cm				
WEIGHT	3Kg	3.5Kg	3.3Kg	3.8Kg	

¹ To be ordered separately

GSM4K PRO GSM Audiokit

One way or two way GSM audiokit with integrated proximity access control









	GSM4K-1	GSM4K-1S	GSM4K-2	GSM4K-2S	
CONNECTION	GSM 2G/3G				
OUTDOOR STATION		4000 5	Series		
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1 1 x 4810-2				
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	OV	
CALL		Electronic	Call Tone		
KEYS / RELAYS	Up to 1000 / 1				
RFID FREQUENCY	125KHz				
FOBS	3 x 955/T tag format				
MOUNTING BOX	1 x 4851 1 x 4881 1 x 4851 1 x 488				
RAINSHIELD OPT.1	4871 4891 4871 4891				
SIZE	1 module				
Mounting	Flush	Surface	Flush	Surface	
ANTENNA		1 x -	433		
Accessories		Connection cable	, wall fix support		
POWER SUPPLY UNIT		1 x HDF	R-15-12		
INPUT/OUTPUT/VA	85~264Vac / 12Vdc / 1.25A				
SIZE	1 Module A Type DIN Box (17.5x90x54.5mm)				
Mounting	DIN bar				
PACKAGING	Giftbox				
Size	29x29.5x7cm				
WEIGHT	1.2Kg 1.5Kg 1.2Kg 1.5Kg				

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	RS-485, Micro-USB
TIMEBANDS	Yes, 1

¹ To be ordered separately



	GSM4KCR-1	GSM4KCR-1S	GSM4KCR-2	GSM4KCR-2S
CONNECTION		GSM 2	2G/3G	
OUTDOOR STATION		4000	Series	
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1 1 x 4810-2			310-2
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1		2
DOOR OPENING	Bu	iilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	: Call Tone	
KEYS / RELAYS		Up to 1	000 / 1	
RFID FREQUENCY	125KHz			
CODELOCK UNIT	1 x 4903			
CODES / RELAYS	400, 32 temporary codes / 2			
ILLUMINATION	Yes, back-lit buttons			
MOUNTING BOX	1 x 4852 1 x 4882 1 x 4852 1 x 486			
RAINSHIELD OPT.1	4872 4892 4872 489			
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA		1 x	433	
Accessories		Connection cable	e, wall fix support	
POWER SUPPLY UNIT	1 x HDR-15-12			
INPUT/OUTPUT/VA		85~264Vac /	12Vdc / 1.25A	
Size	1 Module A Type DIN Box (17.5x90x54.5mm)			m)
MOUNTING	DIN bar			
PACKAGING	Giftbox			
Size	29x29.5x7cm			
WEIGHT	1.6Kg	2Kg	1.6Kg	2Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB/APP
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 events or unlimited remote event logging
BOOTLOADER	Yes
INTERFACES	RS-485, Micro-USB
TIMEBANDS	Yes, 1 - call, 10 - free access, 10 - access control
REMOTE ACCESS CODE PROGRAMMING	Yes, 400 permanent codes, 32 temporary codes
Additional Access Control Doors	Yes, proximity or code up to 7
FREE ACCESS PERIODS	Yes, 10


¹ To be ordered separately

GSMVRK GSM VR Audiokit





GSM





	GSMVRK-1	GSMVRK-1S	GSMVRK-2	GSMVRK-2S
CONNECTION	GSM 2G/3G			
OUTDOOR STATION		4000 Series Va	ndal Resistant	
SPEAKER UNIT MODULE	1 x VR4	KGSM-1	1 x VR4	KGSM-2
LEDS		3: Speak, Bus	y, Door Open	
CALL BUTTONS	•	1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ¹	4871	4891	4871	4891
Size	1 module			
Mounting	Flush	Surface	Flush	Surface
ANTENNA	1 x 433			
ACCESSORIES		Connection cable	, wall fix support	
POWER SUPPLY UNIT		1 x HDI	R-15-12	
INPUT/OUTPUT/VA		85~264Vac /	12Vdc / 1.25A	
SIZE	1 M	Module A Type DIN	Box (17.5x90x54.5m	m)
MOUNTING	DIN bar			
PACKAGING		Gift	box	
SIZE	29x29.5x7cm			
WEIGHT	1.3Kg	1.6Kg	1.3Kg	1.6Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 24
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	Micro-USB
TIMEBANDS	Yes, 1

¹ To be ordered separately



	GSMVRKC-1	GSMVRKC-1S	GSMVRKC-2	GSMVRKC-2S
CONNECTION	GSM 2G/3G			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4	KGSM-1	1 x VR4	KGSM-2
LEDS		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x VF	R4901	
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes, back-lit buttons			
MOUNTING BOX	1 x 4852 1 x 4882 1 x 4852 1 x 488 8			
RAINSHIELD OPT. ¹	4872 4892 4872 4			
SIZE	2 modules			
Mounting	Flush	Surface	Flush	Surface
ANTENNA		1 x	433	
Accessories		Connection cable	, wall fix support	
POWER SUPPLY UNIT		1 x HDI	R-15-12	
INPUT/OUTPUT/VA	85~264Vac / 12Vdc / 1.25A			
SIZE	1 Module A Type DIN Box (17.5x90x54.5mm)			m)
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	2Kg	2.3Kg	2Kg	2.3Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 24
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	Micro-USB
TIMEBANDS	Yes, 1

¹ To be ordered separately

SLK SLIM Audiokit

One way only





	SLK
CONNECTION	STANDARD 3+1 AUDIO
OUTDOOR STATION	Slim Series
SPEAKER UNIT	1 x 436
CALL BUTTONS	1
DOOR OPENING	Built-in Lock Relay
CALL	Electronic Call Tone
MOUNTING	Surface
INDOOR STATION	1 x 3011
SERIES	3000 Series Smart Range
CALL	Electronic Call Tone
BUTTONS	1: Door open
CONTROLS	Call tone volume (3 levels)
MOUNTING	Surface
POWER SUPPLY UNIT	1 x 321
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)
MOUNTING	DIN bar or direct wall fixing
PACKAGING	Giftbox
SIZE	25.5x23.5x7cm
WEIGHT	1.5Kg






VIDEOKITS

VK8K	6 WIRE BUS (INTERCOMMUNICATING)	PAGE 24
VK8KC Videocode	(6 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING)	26
4000 SERIES		
VK4K	(6 WIRE BUS) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	28
VK4KC Videocode	(6 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	30
VK4KX	(6 WIRE BUS) (PROXIMITY READER) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	32
VRVK	(6 WIRE BUS) (VANDAL RESISTANT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	34
VRVKC Videocode	(6 WIRE BUS) (VANDAL RESISTANT) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	36
ESVK	2 WIRE BUS (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	38
ESVKC Videocode	(2 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	42
ESVKX	2 WIRE BUS PROXIMITY READER INTERCOMMUNICATING WIDE CAMERA OPT.	46
IPVK	(IP) (INTERCOMMUNICATING) (WIDE CAMERA STANDARD)	50
IPVKC Videocode	(IP) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA STANDARD)	52

Part number composition



Symbols legend

System connection



6 WIRE BUS



2 WIRE BUS



ΙP

Outdoor station features



Vandal resistant



Proximity reader



Codelock unit



Intercommunicating



Glossary

Busy LED	Advise that the system is busy i.e. multiple entrance system	
Ring LED	Advise that the call is in progress	
Speak LED	Advise that the conversation has started	
Door open LED	Advise that the door is open	
ON LED	Advise that the videophone is switched ON	
Service button	A button used to enable an additional service, may require an additional connection	
Privacy	Service that allows to temporarily disable the call	
Intecommunicating call	Service to start an intercommunication	
Camera recall	Service to power up the system and see the camera in stand by	
Push to talk	Service to enable the "push to talk" communication mode	
Push to exit	Active low input that enables the integral relay	

INDOOR STATION

VIDEOPHONE MODEL

/KRV782

VIDEOPHONE FINISHING

/W

VIDEO MEMORY

/VM

6200, 6300, 6400, 6700 SERIES:

/6256 /6358 /6458 /6758	for videokits: VK4K - VK4KC - VK4KX VRVK - VRVK VK8K - VK8KC
/6286 /6388 /6488 /6788	for videokits: ESVK - ESVKC - ESVKX
/6296	for videokits:

KRISTALLO® SERIES:

/KRV86 /KRV88

for videokits:

IPVK - IPVKC

/KRV88 ESVK - ESVKC - ESVKX

5000 - 3600 SERIES:

/5456 for videokits: /3656 VK4K - VK4KC - VK4KX VRVK - VRVK VK8K - VK8KC

/3686 for videokits:

ESVK - ESVKC - ESVKX

6200, 6300, 6400, 6700 SERIES:

none: Satin White (standard)

/B: Black Rubber

KRISTALLO® SERIES:

/W: White /B: Black

5000 SERIES:

none: Gloss white (standard)

/CR: Silver

/CA: Carbon fibre effect

Videophones with memory board facility allow, either automatically or manually, to record a picture (or a videoclip, depending on the model) of the visitor who calls.

Thanks to the ability to record several images or video clips (the numer depends on the model), this facility helps to ensure the safety of the users by knowing who has called.

The memory board must be requested when ordering a video phone, as it cannot be added later.

Not available for **3656** and **3686** videophones


Packaging guide

Colour explanation (depending on the indoor station)

6200	6300	6400	6700
Kristallo® 3.5" Handset	Kristallo® 3.5" Hands free		Kristallo° 7"
3600	5000		

Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series
Camera/speaker unit (1 module)	Camera unit and speaker unit (2 modules)	Camera/speaker unit (1 module)
Camera/speaker unit plus access control (2 modules)	Camera unit, speaker unit plus access control (3 modules)	Camera/speaker unit plus access control (2 modules)
Camera/speaker unit with integrated proximity access control (1 module)		



VK8K Series Videokit









	VK8K-1	VK8K-1S	VK8K-2	VK8K-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION		8000 Series		
SPEAKER UNIT MODULE	1 x 8	833-1	1 x 8 8	833-2
CAMERA TYPE	Colou	r camera with whit	e light illuminatio	n LEDs
WIDE CAMERA OPT.		Not av	ailable	
CALL BUTTONS		1		2
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 8855	1 x 8885	1 x 8855	1 x 8885
RAINSHIELD	1 x 8875	_	1 x 8875	_
SIZE		1.5 m	odule	
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	350K	2 x 8	350K
INPUT/OUTPUT/VA		230-127Vac /	24Vac / 24VA	
SIZE	5 1	Modules A Type DII	N Box (87x105x65m	m)
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	- 1 x 316N			316N
PACKAGING	Giftbox			
Size	31x17	x13cm	25x24	x18cm

SPECIAL FEATURES	
Max Door Stations	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening





	VK8K-1/6256	VK8K-15/6256	VK8K-2/6256	VK8K-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES		6200 Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camer	a recall, Door-ope	n/Intercommunic	ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			nicating call
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.1Kg	3.6Kg	4.3Kg	4.8Kg

3.5" hands free 6358 videomonitor







	VK8K-1/6358	VK8K-1S/6358	VK8K-2/6358	VK8K-2S/6358
INDOOR STATION	1 x (1 x 6358		6358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	: Door open, Priva	cy ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

4.3" hands free 6458 videomonitor









	VK8K-1/6458	VK8K-1S/6458	VK8K-2/6458	VK8K-2S/6458	
INDOOR STATION	1 x (1 x 6458		2 x 6458	
SERIES		6400	Series		
DISPLAY		4.3" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹		4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	: Door open, Priva	cy ON, Conversatio	on	
MEMORY BOARD OPT.	Yes, u	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	64931				
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg	







	VK8K-1/6758	VK8K-1S/6758	VK8K-2/6758	VK8K-2S/6758
INDOOR STATION	1 x 6	5758	2 x (5758
SERIES		6700 9	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	Door open, Privac	y ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			er
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.1Kg	3.6Kg	4.4Kg	4.9Kg

¹ A button can have multiple functions ² To be ordered separately



	VK8KC-1	VK8KC-1S	VK8KC-2	VK8KC-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION		8000	Series	
SPEAKER UNIT MODULE	1 x 8	333-1	1 x 8833-2	
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs
WIDE CAMERA OPT.		Not av	ailable	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x 8	800	
CODES / RELAYS		2 ,	/ 2	
ILLUMINATION		Ye	es	
MOUNTING BOX	1 x 8857	1 x 8887	1 x 8857	1 x 8887
RAINSHIELD	1 x 8877	_	1 x 8877	_
SIZE		2.5 mc	odules	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	50K	2 x 8	50K
INPUT/OUTPUT/VA		230-127Vac /	24Vac / 24VA	
Size	5 1	Modules A Type DII	N Box (87x105x65m	m)
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR			1 x 3	16N
PACKAGING		Gift	box	
SIZE	41.5x17	'x15cm	18x24x	<54cm

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

VIDEX





	VK8KC-1/6256	VK8KC-15/6256	VK8KC-2/6256	VK8KC-2S/6256	
INDOOR STATION	1 x (6256	2 x (5256	
SERIES		6200 5	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Han	dset		
BUTTONS / SERVICES ¹	4: Service, Camer	a recall, Door-ope	n/Intercommunic	ating call, Privacy	
LEDS	2: Door open, Privacy ON				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	62931				
PACKAGING WEIGHT	3.5Kg 4Kg 4.7Kg 5.2Kg				

3.5" hands free 6358 videomonitor







	VK8KC-1/6358	VK8KC-1S/6358	VK8KC-2/6358	VK8KC-2S/6358
INDOOR STATION	1 x (5358	2 x (6358
SERIES		6300 5	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg

4.3" hands free 6458 videomonitor









	VK8KC-1/6458	VK8KC-1S/6458	VK8KC-2/6458	VK8KC-2S/6458
INDOOR STATION	1 x 6	5458	2 x (6458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg







	VK8KC-1/6758	VK8KC-1S/6758	VK8KC-2/6758	VK8KC-2S/6758	
INDOOR STATION	1 x 6	5758	2 x 6758		
SERIES		6700 9	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	3.5Kg	4Kg	4.8Kg	5.3Kg	

¹ A button can have multiple functions ² To be ordered separately

VK4K Series Videokit







6 WIRE BUS

Intercom. Wide camera



W/.V.4	VIV.AV.46	VV/-V-2	VK4K-2S	
VN4N-1			VN4N-25	
1 x 4 5	833-1	1 x 4 8	333-2	
Colou	r camera with whit	e light illuminatio	n LEDs	
	Avail	lable		
	4: Busy, Ring, Sp	eak, Door Open		
	1	2	2	
Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge				
Electronic Call Tone				
1 x 4851	1 x 4881	1 x 4851	1 x 4881	
4871 4891		4871	4891	
	1 mo	dule		
Flush	Surface	Flush	Surface	
1 x 8	350K	2 x 8	50K	
230-127Vac / 24VA				
5 Modules A Type DIN Box (87x105x65mm)			m)	
DIN bar or direct wall fixing				
- 1 x 316N			316N	
	Gift	box		
31x17	x13cm	25x24	25x24x18cm	
	Colou Built-in Lock F 1 x 4851 4871 Flush 1 x 8	6 WIR 4000 1 x 4833-1 Colour camera with whit Avail 4: Busy, Ring, Sp 1 Built-in Lock Relay Dry Contacts Electronic 1 x 4851	1	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

3.5" conventional videophone 6256



	VK4K-1/6256	VK4K-1S/6256	VK4K-2/6256	VK4K-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES		6200 5	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Came	ra recall, Door-ope	n/Intercommunica	ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
Programming	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

3.5" hands free 6358 videomonitor







	VK4K-1/6358	VK4K-1S/6358	VK4K-2/6358	VK4K-2S/6358
INDOOR STATION	1 x (358	2 x (5358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.3Kg	2.6Kg	3.4Kg	3.7Kg

4.3" hands free 6458 videomonitor







	VK4K-1/6458	VK4K-1S/6458	VK4K-2/6458	VK4K-2S/6458
INDOOR STATION	1 x 6	5458	2 x (5458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.6Kg	3.8Kg







	VK4K-1/6758	VK4K-1S/6758	VK4K-2/6758	VK4K-2S/6758	
	•		• • • • • • • • • • • • • • • • • • • •		
INDOOR STATION	1 x 6	6758	2 x (5758	
SERIES		6700 5	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness				
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg	

¹ A button can have multiple functions ² To be ordered separately

VK4KC Series Videocode

One way or two way videokit with codelock









VIRE C

Codelock unit

Intercom. Wide camera



	VK4KC-1	VK4KC-1S	VK4KC-2	VK4KC-2S	
CONNECTION		6 WIR	E BUS		
OUTDOOR STATION		4000	Series		
SPEAKER UNIT MODULE	1 x 4 8	833-1	1 x 48	333-2	
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs	
WIDE CAMERA OPT.		Avai	lable		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic	Call Tone		
CODELOCK UNIT	1 x 4901				
CODES / RELAYS	3 / 3				
ILLUMINATION		Yes, back-	lit buttons		
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4892	4872	4892	
SIZE		2 mo	dules		
MOUNTING	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 8	50K	2 x 8	50K	
INPUT/OUTPUT/VA		230-127Vac /	24Vac / 24VA		
SIZE	5 Modules A Type DIN Box (87x105x65mm)				
MOUNTING	DIN bar or direct wall fixing				
VIDEO DISTRIBUTOR	— 1 x 316N			16N	
PACKAGING	Giftbox				
SIZE	41.5x17	7x15cm	18x24x	x54cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

3.5" conventional videophone 6256



	VK4KC-1/6256	VK4KC-1S/6256	VK4KC-2/6256	VK4KC-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES		6200 9	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

3.5" hands free 6358 videomonitor







	VK4KC-1/6358	VK4KC-1S/6358	VK4KC-2/6358	VK4KC-2S/6358
INDOOR STATION	1 x 6	5358	2 x (5358
SERIES		6300 9	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

4.3" hands free 6458 videomonitor









	VK4KC-1/6458	VK4KC-1S/6458	VK4KC-2/6458	VK4KC-2S/6458
INDOOR STATION	1 x 6	6458	2 x (5458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	: Door open, Priva	y ON, Conversatio	n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3Kg 3.5Kg 4Kg 4.6Kg			







	VK4KC-1/6758	VK4KC-1S/6758	VK4KC-2/6758	VK4KC-2S/6758
INDOOR STATION	1 x (6758	2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3Kg 3.5Kg 4.2Kg 4.9Kg			

¹ A button can have multiple functions ² To be ordered separately

VK4KX Series Videokit

One way or two way videokit with integrated proximity access control









6 WIRE BUS

Proximity reader

Intercom. Wide camera



	VK4KX-1	VK4KX-1S	VK4KX-2	VK4KX-2S
CONNECTION		6 WIR	E BUS	
OUTDOOR STATION		4000 5	Series	
SPEAKER AND PROXIMITY UNIT MODULE	1 x 48	333X-1	1 x 48	33X-2
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	ı LEDs
WIDE CAMERA OPT.		Avail	able	
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	
DOOR OPENING	Built-in Lock I	Relay Dry Contacts	C, NC, NO or capac	itor discharge
CALL	Electronic Call Tone			
KEYS / RELAYS	Up to 30 / 1			
RFID FREQUENCY	125KHz			
Fobs	1 x 955/C card format 1 x 955/C card format 2 x 955/T tag format 4 x 955/T tag format			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
Size		1 mo	dule	
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K 2 x 850K			50K
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING		DIN bar or dir	ect wall fixing	
PACKAGING		Gift	box	
Size	31x17	x13cm	25x24x	<18cm

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 30 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening





	VK4KX-1/6256	VK4KX-1S/6256	VK4KX-2/6256	VK4KX-2S/6256
INDOOR STATION	1 x (6256	2 x 6256	
SERIES		6200 9	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Came	ra recall, Door-ope	n/Intercommunica	ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
Programming	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

3.5" hands free 6358 videomonitor







	VK4KX-1/6358	VK4KX-1S/6358	VK4KX-2/6358	VK4KX-2S/6358
INDOOR STATION	1 x (5358	2 x (6358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.3Kg	2.6Kg	3.4Kg	3.7Kg

4.3" hands free 6458 videomonitor









	VK4KX-1/6458	VK4KX-1S/6458	VK4KX-2/6458	VK4KX-2S/6458
INDOOR STATION	1 x 6	6458	2 x (6458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			0 ,
LEDS	3	: Door open, Priva	y ON, Conversatio	n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg 2.7Kg 3.6Kg 3.8Kg			







	VK4KX-1/6758	VK4KX-1S/6758	VK4KX-2/6758	VK4KX-2S/6758
INDOOR STATION	1 x (6758	2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg 2.7Kg 3.7Kg 3.9Kg			

¹ A button can have multiple functions ² To be ordered separately

VRVK Series Videokit









Vandal resistant

Intercom. Wide camera



	VRVK-1	VRVK-1S	VRVK-2	VRVK-2S
CONNECTION		6 WIR	E BUS	
OUTDOOR STATION		4000 Series Va	andal resistant	
CAMERA MODULE		1 x VR 4	4KCMC	
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs
WIDE CAMERA OPT.		Avail	lable	
SPEAKER UNIT MODULE	1 x VR4	KAMK-1	1 x VR4 l	KAMK-2
LEDs		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE		2 mo	dules	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	50K	2 x 8	50K
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	- 1 x 316N			16N
PACKAGING	Giftbox			
SIZE	31x17	x13cm	25x24x	x18cm

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07





	VRVK-1/6256	VRVK-1S/6256	VRVK-2/6256	VRVK-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE	Handset			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.5Kg	4.9Kg

6358 3.5" hands free videomonitor







	VRVK-1/6358	VRVK-1S/6358	VRVK-2/6358	VRVK-2S/6358
INDOOR STATION	1 x 6	358	2 x 6358	
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

6458 4.3" hands free videomonitor







	VRVK-1/6458	VRVK-1S/6458	VRVK-2/6458	VRVK-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.4Kg	4.8Kg







	VRVK-1/6758	VRVK-1S/6758	VRVK-2/6758	VRVK-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call			
Mounting	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.3Kg 3.7Kg 4.5Kg 4.9Kg			4.9Kg

¹ A button can have multiple functions ² To be ordered separately

VRVKC Series Videocode

One way or two way videokit with codelock







Codelock unit resistant





Intercom. Wide camera



	VRVKC-1	VRVKC-1S	VRVKC-2	VRVKC-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	4000 Series Vandal resistant			
CAMERA MODULE	1 x VR4KCMC			
CAMERA TYPE	Colou	r camera with whit	e light illuminatio	n LEDs
WIDE CAMERA OPT.		Avai	lable	
SPEAKER UNIT MODULE	1 x VR4	KAMK-1	1 x VR4KAMK-2	
LEDs		3: Speak, Bus	sy, Door Open	
CALL BUTTONS		1	2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x VR4901			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes, back-lit buttons			
MOUNTING BOX	1 x 4853	1 x 4883	1 x 4853	1 x 4883
RAINSHIELD OPT. ²	4873	4893	4873	4893
Size		3 mod		
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 8	350K
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
Size	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	— 1 x 316N			316N
PACKAGING	Giftbox			
Size	18x24x54cm			

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07





	VRVKC-1/6256	VRVKC-1S/6256	VRVKC-2/6256	VRVKC-2S/6256
INDOOR STATION	1 x	6256	2 x 6256	
SERIES		6200 5	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camer	ra recall, Door-ope	n/Intercommunic	ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.3Kg	5.9Kg

3.5" hands free 6358 videomonitor







	VRVKC-1/6358	VRVKC-1S/6358	VRVKC-2/6358	VRVKC-2S/6358
INDOOR STATION	1 x (5358	2 x (6358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			iemory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			t, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.8Kg	4.7Kg	5.1Kg	5.8Kg

4.3" hands free 6458 videomonitor









	VRVKC-1/6458	VRVKC-1S/6458	VRVKC-2/6458	VRVKC-2S/6458
INDOOR STATION	1 x (5458	2 x (6458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²		649	931	
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.1Kg	5.8Kg







	VRVKC-1/6758	VRVKC-1S/6758	VRVKC-2/6758	VRVKC-2S/6758
INDOOR STATION	1 x 6	5758	2 x	6758
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.3Kg	6.1Kg

¹ A button can have multiple functions ² To be ordered separately

ESVK Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system







2 WIRE BUS

tercom. Wide came



	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S
CONNECTION		2 WIR	E BUS	
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4 3	384-1	1 x 4 3	384-2
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs
WIDE CAMERA OPT.		Avai	lable	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE		1 ma	dule	
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	31x17	x13cm	25x24	x18cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances ex- changer Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).





	ESVK-1/6286	ESVK-1S/6286	ESVK-2/6286	ESVK-2S/6286
INDOOR STATION	1 x (5286	2 x 6	5286
SERIES		6200	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch			
LEDS	3: Door open, Privacy ON, Conversation			n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			iess
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg

3.5" hands free 6388 videomonitor







	ESVK-1/6388	ESVK-1S/6388	ESVK-2/6388	ESVK-2S/6388
INDOOR STATION	1 x 6	388	2 x (5388
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

6488 4.3" hands free videomonitor









	ESVK-1/6488	ESVK-1S/6488	ESVK-2/6488	ESVK-2S/6488
INDOOR STATION	1 x 6	488	2 x 6	i488
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	: Door open, Priva	cy ON, Conversatio	n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg







	ESVK-1/6788	ESVK-1S/6788	ESVK-2/6788	ESVK-2S/6788
INDOOR STATION	1 x 6	5788	2 x 6	5788
SERIES		6700 9	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	: Door open, Privad	y ON, Conversatio	n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg

¹ A button can have multiple functions ² To be ordered separately

ESVK Series Videokit

Kristallo® Series

Pure two wire one way or two way system







2 WIRE BUS

tercom. Wide came



	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S
CONNECTION		2 WIR	E BUS	
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4	384-1	1 x 4 3	384-2
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs
WIDE CAMERA OPT.		Avail	lable	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			itor discharge
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
Size		1 mo	dule	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
Size	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	·	Gift	box	
Size	31x17	x13cm	25x24	x18cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances ex- changer Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).



3.5" conventional and hands free videomonitor



	ESVK-1/KRV86	ESVK-1S/KRV86	ESVK-2/KRV86	ESVK-2S/KRV86		
INDOOR STATION	1 x K	RV86	2 x K	RV86		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	our LCD TFT OSD			
HANDSET / HANDS FREE		Handset / Hands free				
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: Door open, Priva	cy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card					
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
MOUNTING	Surface					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV931					
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg		

KRV88

3.5" hands free videomonitor







	ESVK-1/KRV88	ESVK-1S/KRV88	ESVK-2/KRV88	ESVK-2S/KRV88		
INDOOR STATION	1 x K	RV88	2 x K	RV88		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Hands free				
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.		Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card				
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface Flush (requires KRV981 ² or KRV983 ²)					
FINISHING	/W white - /B black					
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg		

(RV782







	ESVK-1/KRV782	ESVK-1S/KRV782	ESVK-2/KRV782	ESVK-2S/KRV782		
INDOOR STATION	1 x K I	RV782	2 x KRV782			
SERIES		Kristallo	° Series			
DISPLAY		7" Hi-Res co	lour LCD TFT			
HANDSET / HANDS FREE		Hands free				
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment					
LEDS		2: Door open, Privacy ON				
MEMORY BOARD OPT.		Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration	Privacy duration, Melody type, Number of rings, Intercommunicating call				
Mounting	Surface Flush (requires KRV7981 ² or KRV7983 ²)					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV7931					
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg		

¹ A button can have multiple functions ² To be ordered separately

ESVKC Series Videocode

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way videokit with codelock










Intercom.



	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S	
CONNECTION		2 WIR	E BUS		
OUTDOOR STATION		4000 5	Series		
SPEAKER UNIT MODULE	1 x 4 3	384-1	1 x 4 3	384-2	
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs	
WIDE CAMERA OPT.		Avail	able		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic	Call Tone		
CODELOCK UNIT		1 x 4901			
CODES / RELAYS	3 / 3				
ILLUMINATION	Yes, back-lit buttons				
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4892	4872	4892	
Size		2 mo	dules		
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT		1 x 2	321		
INPUT/OUTPUT/A		230Vac / 32	2Vdc / 0.8A		
SIZE	9 M	odules A Type DIN	Box (157.5x105x65n	nm)	
MOUNTING		DIN bar or dir	ect wall fixing		
POWER SUPPLY CONV.	1 x 2322				
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA				
SIZE	Plastic box (50x60x20mm)				
MOUNTING	Direct wall fixing				
PACKAGING		Gift	box		
Size	41.5x17	7x15cm	18x24x	x54cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).





	ESVKC-1/6286	ESVKC-15/6286	ESVKC-2/6286	ESVKC-25/6286			
INDOOR STATION	1 x 6	5286	2 x 6286				
SERIES		6200	Series				
DISPLAY		3.5" Hi-Res co	olour LCD TFT				
HANDSET / HANDS FREE		Han	dset				
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicat- ing call, Camera recall/Camera switching call, camera recall						
LEDS	3: Door open, Privacy ON, Conversation						
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory						
ADJUSTMENT	Melody volume, Hue, Contrast, Brightness						
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call						
MOUNTING	Surface						
FINISHING	Satin White (standard) - /B Black Rubber						
DESKTOP KIT OPT. ²	62931						
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.1Kg 3.5Kg 3.4Kg 3.8Kg				

3.5" hands free 6388 videomonitor







	ESVKC-1/6388	ESVKC-1S/6388	ESVKC-2/6388	ESVKC-2S/6388	
INDOOR STATION	1 x 6	388	2 x (5388	
SERIES		6300 5	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/bus relay activation, Door-open/Intercommunicat- ing call, Answer/Camera recall				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	63931				
PACKAGING WEIGHT	3Kg	3.3Kg	3.2Kg	3.6Kg	

4.3" hands free 6488 videomonitor









	ESVKC-1/6488	ESVKC-1S/6488	ESVKC-2/6488	ESVKC-25/6488	
INDOOR STATION	1 x 6	5488	2 x 6488		
SERIES		6400 5	Series		
DISPLAY		4.3" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	64931				
PACKAGING WEIGHT	3Kg	3.4Kg	3.3Kg	3.7Kg	







	ESVKC-1/6788	ESVKC-1S/6788	ESVKC-2/6788	ESVKC-2S/6788	
INDOOR STATION	1 x (5788	2 x	6788	
SERIES		6700 5	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.9Kg	

¹ A button can have multiple functions ² To be ordered separately

ESVKC Series Videocode

Kristallo® Series

Pure two wire one way or two way videokit with codelock









Codelock Intercom. unit

Wide camera opt.



	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S
CONNECTION		2 WIR	E BUS	
OUTDOOR STATION		4000 9	Series	
SPEAKER UNIT MODULE	1 x 4 3	384-1	1 x 4 3	84-2
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs
WIDE CAMERA OPT.		Avail	able	
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x 4	901	
CODES / RELAYS		3 /	3	
ILLUMINATION	Yes, back-lit buttons			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE		2 mo	dules	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT		1 x 2	2321	
INPUT/OUTPUT/A		230Vac / 32	2Vdc / 0.8A	
SIZE	9 M	odules A Type DIN	Box (157.5x105x65n	nm)
MOUNTING	DIN bar or direct wall fixing			
POWER SUPPLY CONV.	1 x 2322			
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA			
SIZE	Plastic box (50x60x20mm)			
Mounting	Direct wall fixing			
PACKAGING		Gift	box	
Size	41.5x17	7x15cm	18x24x	ĸ54cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

KRV86

3.5" conventional and hands free videomonitor



	ESVKC-1/KRV86	ESVKC-1S/KRV86	ESVKC-2/KRV86	ESVKC-2S/KRV86		
INDOOR STATION	1 x KRV86 2 x KRV86			RV86		
SERIES		Kristallo	o® Series			
DISPLAY		3.5" Hi-Res colo	our LCD TFT OSD			
HANDSET / HANDS FREE		Handset / Hands free				
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: door open, Privacy ON, Conversation				
MEMORY BOARD OPT.		Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card				
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV931					
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg		

KRV88

3.5" hands free videomonitor







	ESVKC-1/KRV88	ESVKC-1S/KRV88	ESVKC-2/KRV88	ESVKC-2S/KRV88		
INDOOR STATION	1 x K	RV88	2 x K	RV88		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: door open, Privacy ON, Conversation				
MEMORY BOARD OPT.		Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card				
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
MOUNTING	Surface Flush (requires KRV981 ² or KRV983 ²)					
FINISHING	/W white - /B black					
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.8Kg		

(RV782







	ESVKC-1/KRV782	ESVKC-1S/KRV782	ESVKC-2/KRV782	ESVKC-2S/KRV782		
INDOOR STATION	1 x KRV782 2 x KRV			RV782		
SERIES		Kristallo	° Series			
DISPLAY		7" Hi-Res co	lour LCD TFT			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjust- ment, Brightness and hue adjustment					
LEDS		2: Door oper	ı, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card					
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness					
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface Flush (requires KRV7981 ² or KRV7983 ²)					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV7931					
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg		

¹ A button can have multiple functions ² To be ordered separately

ESVKX Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system with integrated proximity access control









Proximity Intercom. Wide camer reader opt.



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S		
CONNECTION	2 WIRE BUS					
OUTDOOR STATION		4000 5	Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 43	84X-1	1 x 43	84X-2		
CAMERA TYPE	Colou	r camera with whit	e light illuminatio	n LEDs		
WIDE CAMERA OPT.		Avail	able			
LEDs		4: Busy, Ring, Sp	eak, Door Open			
CALL BUTTONS		1		2		
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge		
CALL		Electronic Call Tone				
KEYS / RELAYS	Up to 50 / 1					
RFID FREQUENCY		1251	KHz			
Fobs	1 x 955/C card format 1 x 955/C card format 2 x 955/T tag format 4 x 955/T tag format					
MOUNTING BOX	1 x 4851					
RAINSHIELD OPT. ²	4871	4891	4871	4891		
SIZE		1 mo	dule			
Mounting	Flush	Surface	Flush	Surface		
POWER SUPPLY UNIT	1 x 2321					
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A					
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)					
MOUNTING	DIN bar or direct wall fixing					
PACKAGING		Gift	box			
SIZE	31x17:	x13cm	25x24	x18cm		

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

6286 3.5" conventional videophone



	ESVKX-1/6286	ESVKX-1S/6286	ESVKX-2/6286	ESVKX-2S/6286	
INDOOR STATION	1 x 6286 2 x 6286				
SERIES		6200 5	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Han	dset		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	62931				
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg	

6388 3.5" hands free videomonitor







	ESVKX-1/6388	ESVKX-1S/6388	ESVKX-2/6388	ESVKX-2S/6388	
INDOOR STATION	1 x 6	388	2 x (5388	
SERIES		6300 5	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	63931				
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg	

6488 4.3" hands free videomonitor







	ESVKX-1/6488	ESVKX-15/6488	ESVKX-2/6488	ESVKX-2S/6488	
INDOOR STATION	1 x 6488 2 x 6488			5488	
SERIES		6400 5	Series		
DISPLAY		4.3" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	64931				
PACKAGING WEIGHT	2.5Kg 2.7Kg 2.7Kg 2.9Kg				







	ESVKX-1/6788	ESVKX-1S/6788	ESVKX-2/6788	ESVKX-2S/6788	
INDOOR STATION	1 x 6	5788	2 x (5788	
SERIES		6700 9	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3:	Door open, Privac	cy ON, Conversatio	on	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody vol	ume, Speech volur	me, Hue, Contrast,	Brightness	
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin White (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg	

¹ A button can have multiple functions ² To be ordered separately

ESVKX Series Videokit

Kristallo® Series

Pure two wire one way or two way system with integrated proximity access control









WIRE Proximit BUS reader

Intercom. V

Wide camera opt.



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S			
CONNECTION	2 WIRE BUS						
OUTDOOR STATION		4000 Series					
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4384X-1 1 x 4384X-2						
CAMERA TYPE	Colou	r camera with whit	e light illuminatio	n LEDs			
WIDE CAMERA OPT.		Avail	able				
LEDs		4: Busy, Ring, Sp	eak, Door Open				
CALL BUTTONS		1	:	2			
DOOR OPENING	Built-in Lock I	Relay Dry Contacts	C, NC, NO or capac	itor discharge			
CALL		Electronic	Call Tone				
KEYS / RELAYS	Up to 50 / 1						
RFID FREQUENCY		125	KHz				
FOBS	1 x 955/C card format						
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881			
RAINSHIELD OPT. ²	4871	4891	4871	4891			
SIZE		1 mo	dule				
MOUNTING	Flush Surface Flush Surfac						
POWER SUPPLY UNIT	1 x 2321						
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A						
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)						
Mounting		DIN bar or direct wall fixing					
PACKAGING		Gift	box				
SIZE	31x17	x13cm	25x24	x18cm			

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

KRV86

3.5" conventional and hands free videomonitor



	ESVKX-1/KRV86	ESVKX-1S/KRV86	ESVKX-2/KRV86	ESVKX-2S/KRV86		
INDOOR STATION	1 x KRV86 2 x KRV86			RV86		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Handset /	Hands free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: door open, Priva	cy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card					
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
MOUNTING	Surface					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV931					
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg		

KRV88

3.5" hands free videomonitor







	ESVKX-1/KRV88	ESVKX-1S/KRV88	ESVKX-2/KRV88	ESVKX-2S/KRV88		
INDOOR STATION	1 x K	RV88	2 x K	RV88		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card					
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface Flush (requires KRV981 ² or KRV983 ²)					
FINISHING	/W white - /B black					
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg		

(RV782







	ESVKX-1/KRV782	ESVKX-1S/KRV782	ESVKX-2/KRV782	ESVKX-2S/KRV782
INDOOR STATION	1 x K I	RV782	2 x K l	RV782
SERIES		Kristallo	° Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE	Hands free			
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjust- ment, Brightness and hue adjustment			ctivation,
LEDS		2: Door open	, Privacy ON	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			•
ADJUSTMENT	Melody v	olume, Speech volur	ne, Hue, Contrast, B	rightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
MOUNTING	Surface Flush (requires KRV7981 ² or KRV7983 ²)			
FINISHING	/W white - /B black			
DESKTOP KIT OPT. ²	KRV7931			
PACKAGING WEIGHT	2.6Kg 2.9Kg 3.2Kg 3.5Kg			

¹ A button can have multiple functions ² To be ordered separately

IPVK Series Videokit

6200 Series


One way or two way







Intercom. Wide camer standard



	IPVK-1	IPVK-1S	IPVK-2	IPVK-2S
CONNECTION	IP			
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4 !	533-1	1 x 4 !	533-2
CAMERA TYPE	Wide angle	colour camera witl	h white light illumi	nation LEDs
WIDE CAMERA OPT.		Stan	dard	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING		2 lock	relays	
CALL		Electronic	call tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE		1 mo	dule	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT		1 x HDI	R-15-12	
INPUT/OUTPUT/A		85~264Vac /	12Vdc / 1.25A	
SIZE	1 module A type DIN box (17.5x90x54.5mm)			m)
MOUNTING		DIN	bar	
PACKAGING	Giftbox			
SIZE	31x17	x13cm	25x24	x18cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 42
Max Door Stations	Unlimited
Max Indoor Stations	Unlimited
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 2
PROGRAMMABLE TIMES	Conversation and Door Opening

3.5" conventional 6296 videophone





	IPVK-1/6296	IPVK-1S/6296	IPVK-2/6296	IPVK-2S/6296
INDOOR STATION	1 x (5296	2 x 6296	
SERIES		6200 5	Series	
DISPLAY		3.5" Hi-Res colour LO	CD TFT touch screen	
HANDSET / HANDS FREE		Handset		
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy (all buttons programmable)			g call, Privacy
LEDS	2: Lost call, Privacy ON			
MEMORY BOARD OPT.	Yes, standard			
ADJUSTMENT	Call tone volume, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call, Melody, Door Panels phonebook		call, Melody,	
MOUNTING		Surf	ace	
FINISHING	Satin White (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	62932			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg





WVIDEX

Videx Cloudnected client

Videx CloudNected Client is a cross-platform application for smartphones and tablets that allows the user to interface to Videx IP products easily.

Register your account in the app and connect Videx IP devices by simply acquiring the device's QR code.













¹ A button can have multiple functions ² To be ordered separately

IPVKC Series Videokit

6200 Series

One way or two way videokit with codelock









Intercom. Wide camer standard



	IPVKC-1	IPVKC-1S	IPVKC-2	IPVKC-2S
CONNECTION		li li	P	
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4 !	533-1	1 x 4 !	533-2
CAMERA TYPE	Wide angle	colour camera witl	n white light illumi	nation LEDs
WIDE CAMERA OPT.		Stan	dard	
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1		2
DOOR OPENING		2 lock	relays	
CALL	Electronic Call Tone			
CODELOCK UNIT		1 x 4	901	
CODES / RELAYS		3 /	/ 3	
ILLUMINATION		Yes, back-	lit buttons	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE		2 mo	dules	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT		1 x HDI	R-15-12	
INPUT/OUTPUT/VA		85~264Vac /	12Vdc / 1.25A	
Size	1 module A type DIN box (17.5x90x54.5mm)			m)
MOUNTING		DIN	bar	
PACKAGING	Giftbox			
SIZE	41.5x17	7x15cm	18x24	x54cm

PECIAL FEATURES	
MAX CALL BUTTONS	Up to 42
MAX DOOR STATIONS	Unlimited
Max Indoor Stations	Unlimited
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 2
PROGRAMMABLE TIMES	Conversation and Door Opening





	IPVKC-1/6296	IPVKC-1S/6296	IPVKC-2/6296	IPVKC-2S/6296
NDOOR STATION		6296	2 x 6	
NDOOK STATION	1 X	0290	2 X C	1290
SERIES		6200	Series	
DISPLAY		3.5" Hi-Res colour L	CD TFT touch screen	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Ca	mera recall, Door-ope (all buttons p	n/Intercommunicatin rogrammable)	g call, Privacy
LEDS	2: Lost call, Privacy ON			
MEMORY BOARD OPT.	Yes, standard			
ADJUSTMENT	Call tone volume, Brightness			
PROGRAMMING	Privacy du	ration, Number of rings Door Panels	, Intercommunicating of phonebook	all, Melody,
MOUNTING		Sur	face	
FINISHING		Satin White (standar	d) - /B Black Rubber	
DESKTOP KIT OPT. ²	62932			
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.4Kg	3.8Kg





¹ A button can have multiple functions ² To be ordered separately

Videx Cloudnected client

Videx CloudNected Client is a cross-platform application for smartphones and tablets that allows the user to interface to Videx IP products easily.

Register your account in the app and connect Videx IP devices by simply acquiring the device's QR code.











WVIDEX

8000 Series Audio and Video Outdoor stations





Finishes

FRONT PLATE



Standard version Mirror stainless steel



/A Aluminium When ordering put **/A** after the code

MODULE SUPPORT PLUS RAINSHIELD AND SURFACE MOUNTING BOX



Standard version Aluminium



/BL Black When ordering put **/BL** after the code

MODULE SUPPORT



Standard version Aluminium



/BL Black
When ordering put **/BL**after the code

RAINSHIELD (OPTIONAL)




Standard version Aluminium




/BL Black When ordering put **/BL** after the code



Audio outdoor stations measurements (in mm)







4000 Series Audio and Video Outdoor stations





Finishes

FRONT PLATE



Standard version Mirror finished stainless steel



/A Anodized Aluminium When ordering put **/A** after the code



/M Matte finished stainless steel When ordering put **/M** after the code



Vandal resistant version Brushed stainless steel

MODULE SUPPORT FRAME



Standard version Embossed metallized gun-metal grey




/AP Aluminium Painted When ordering put **/AP** after the code



Audio and video outdoor station measurements (in mm) **FLUSH MOUNTING SURFACE MOUNTING** 1 MODULE Without rainshield With rainshield 4871 Without rainshield With rainshield 4891 2 MODULES Without rainshield With rainshield 4872 Without rainshield With rainshield 4892 3 MODULES (ONLY VRVKC) 400.4 400.4 383.4 With rainshield 4873 With rainshield 4893 Without rainshield Without rainshield

6200 and 6300 Series Indoor stations










	6256	6286	6296
DISPLAY	3.5" Hi-Res co	olour LCD TFT	3.5" Hi-Res colour LCD TFT touch screen
HANDSET / HANDS FREE		Handset	
CONNECTION	6 WIRE BUS	2 WIRE BUS	IP
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch	4: Service, Camera recall, Door-open/Inter- communicating call, Privacy (all buttons programmable)
LEDS	2: Door open, Privacy ON	3: Door open, Privacy ON, Conversation	2: Lost call, Privacy ON,
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory		Yes, standard
ADJUSTMENT	Call tone volume, Hue	, Contrast, Brightness	Call tone volume, Brightness
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call	Privacy duration, Number of rings, Intercommunicating call, Melody, Door Panels phonebook
MOUNTING	Surface		
FINISHING	Satin White (standard) - /B Black Rubber		
DESKTOP KIT OPT. ²	62931		62932









	6358	6388	
DISPLAY	3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE	Hand	s free	
CONNECTION	6 WIRE BUS	2 WIRE BUS	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/ Camera switch/Call reject, Door-open/ Intercommunicating call, Answer/OFF/ Camera recall/Push to talk	
LEDS	3: Door open, Priva	cy ON, Conversation	
MEMORY BOARD OPT.	Yes, up to 100 pictures s	tored in built in memory	
ADJUSTMENT	Call tone volume, Speech volu	ıme, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call		
MOUNTING	Surface		
FINISHING	Satin White (standard) - /B Black Rubber		
DESKTOP KIT OPT. ²	63931		









/B Black Rubber When ordering put **/B** after the code


¹ A button can have multiple functions ² To be ordered separately

¹ A button can have multiple functions ² To be ordered separately



6400 and 6700 Series **Indoor stations**










	6458	6488	
DISPLAY	4.3" Hi-Res	s colour LCD TFT	
HANDSET / HANDS FREE	Ha	nds free	
CONNECTION	6 WIRE BUS	2 WIRE BUS	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	
LEDS	3: Door open, Pri	vacy ON, Conversation	
MEMORY BOARD OPT.	Yes, up to 100 pictures	s stored in built in memory	
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness		
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call		
MOUNTING	Surface		
FINISHING	Satin White (standard) - /B Black Rubber		
DESKTOP KIT OPT. ²		64931	











	6758	6788
DISPLAY	7" Hi-Res colour LCD TFT	
HANDSET / HANDS FREE	Hand	s free
CONNECTION	6 WIRE BUS	2 WIRE BUS
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercom- municating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/ Camera switch/Call reject, Door-open/ Intercommunicating call, Answer/OFF/ Camera recall/Push to talk
LEDS	3: Door open, Priva	cy ON, Conversation
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card	
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call	
MOUNTING	Surface	
FINISHING	Satin White (standard) - /B Black Rubber	
DESKTOP KIT OPT. ²	67931	









/B Black Rubber When ordering put **/B** after the code

¹ A button can have multiple functions ² To be ordered separately

¹ A button can have multiple functions ² To be ordered separately

Kristallo® Series **Indoor stations**








	KRV86	KRV88	
DISPLAY	3.5" Hi-Res	colour LCD TFT	
HANDSET / HANDS FREE	Handset / Hands free	Hands free	
CONNECTION	2 W	IRE BUS	
BUTTONS / SERVICES ¹	Privacy/Programming menu/Call reje	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu naviagtion/Camera switch	
LEDS	3: door open, Priv	acy ON, Conversation	
MEMORY BOARD OPT.		nds videoclips stored in built in memory. eoclips to MicroSD memory card	
ADJUSTMENT	Call tone volume, Speech vo	olume, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Melody type, Nu	mber of rings, Intercommunicating call	
MOUNTING	Surface	Surface Flush (require KRV981 ² or KRV983 ²)	
FINISHING	/W White - /B Black		
DESKTOP KIT OPT. ²	KRV931	Not available	







	KRV782		
DISPLAY	7" Hi-Res colour LCD TFT		
	/ ni-kes coloui LCD IFI		
HANDSET / HANDS FREE	Hands free		
CONNECTION	2 WIRE BUS		
BUTTONS / SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus realy activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment		
LEDS	2: Door open, Privacy ON		
MEMORY BOARD OPT.	OPT. Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card		
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness		
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call		
MOUNTING	Surface Flush (requires KRV7981 ² or KRV7983 ²)		
FINISHING	/W White - /B Black		
DESKTOP KIT OPT. ²	KRV7931		

Finishes







/B Black When ordering put /B after the code

¹ A button can have multiple functions ² To be ordered separately

¹ A button can have multiple functions ² To be ordered separately




3600 and 5000 Series Indoor stations

(available until stocks are exhausted.)








	3656	3686			
DISPLAY	3.5" Hi-Res colour LCD TFT				
HANDSET / HANDS FREE	Handset				
CONNECTION	6 WIRE BUS	2 WIRE BUS			
BUTTONS / SERVICES ¹	3: Camera recall, Door-open/Intercommunicating call, Privacy	3: Camera recall/Camera switch, Door-open/Dry contact relay/Inter- communicating call, Privacy/Bus relay activation			
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Not available				
ADJUSTMENT	Call tone volume, Hue, Brightness	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface				
FINISHING	Gloss white				
DESKTOP KIT OPT. ²	36931				












	5456				
DISPLAY	3.5" Hi-Res colour LCD TFT				
HANDSET / HANDS FREE	Hands free				
CONNECTION	6 WIRE BUS				
	6: Answer/Push to talk/OFF,				
BUTTONS / SERVICES ¹	Privacy,				
BUTTONS / SERVICES	Door-open/Intercommunicating call,				
	3 Service buttons				
LEDS	4: Door open, Privacy ON, Conversation, Service				
MEMORY BOARD OPT.	Yes, up to 512 pictures stored in built in memory				
ADJUSTMENT	Call tone volume, Speech volume, Hue, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings				
	Surface				
MOUNTING	Flush (require 5981N ² or 5983N ²)				
	Gloss white (standard)				
FINISHING	/CR Silver				
	/CA Carbon Fibre Effect				
DESKTOP KIT OPT. ²	5931				

Finishes







/CA Carbon Fibre Effect When ordering put /CA after the code

¹ A button can have multiple functions ² To be ordered separately

Terms and conditions of sale

1) DEFINITIONS

In this document the following words shall have the following meanings:

- a. "Buyer" means the organisation or person who buys Goods;
- **b.** "Goods" means the items to be supplied to the Buyer by the Seller; Videx Electronics S.p.A. will be hereafter called "Videx".

2) GENERAL CONDITIONS

Any variation to these Terms and Conditions (including any special terms and conditions agreed between the parties) shall be inapplicable unless agreed in writing by Videx.

3) ORDERS

Any order sent to Videx implies the Buyers acceptance of all the conditions listed into this document.

Purchases are finalized when the Buyer receives the order confirmation from Videx.

After this confirmation, the order cannot be cancelled unless Videx explicitly agrees in writing.

4) PRICES

Price list is to be considered variable as it is subject to variations in production costs which are outside of the control of Videx. Unless otherwise agreed in writing, prices shall be considered ex-works.

5) RETENTION OF TITLE

Title to the Goods shall not pass to the Buyer until Videx has been paid in full for the Goods.

6) RETURNED GOODS

Returned Goods will not be authorized unless agreed in writing by Videx. Authorized Goods will be accepted only if intact and in their original packaging. Goods not included in the price lists in force will not be accepted.

In case of accepted returned Goods a credit note, corresponding to the invoiced amount reduced by 30%, will be issued.

7) LIABILITY

- a. Videx will not be held responsible for damages arising from incorrect installations which do not comply with the specifications provided or for installations carried out by third parties, or for works carried out by third parties on behalf of the Buyer;
- b. Videx will make good, by repair or by supply of a replacement, defects which, under proper use, appear in the Goods within a period of 12 months after the Goods been sold and arise solely from faulty design, materials or workmanships; always provided that the defective parts have been acknowledged and so declared by Videx;
- c. Videx does not acknowledge any compensation for direct or indirect damages;
- d. All goods must be returned to Videx at Buyer's own expenses, until such time as these are tested Videx admits no liability for their condition;
- e. Videx admits no liabilities for defective parts caused by wear and tear;
- f. All Goods returned for repair must be accompanied by a note in writing stating the nature of the defect claimed, the date of purchase, the invoice number and should be clearly marked with the returning purchaser's full address;
- g. Any returned Goods claimed to be faulty by the Buyer and consequently tested and found to be working correctly by Videx, will be returned to the Buyer and a cost will be charged accordingly.

8) PAYMENT

Unless agreed in writing by Videx, the following general conditions apply:

- a. Payment Terms and Conditions will be specified on the invoice;
- b. Interest rates as per the banking conditions effective at the time will be charged on top of overdue payments;

9) GOVERNING LAW AND JURISDICTION

This Agreement shall be governed by and construed in accordance with the laws of the Republic of Italy. All the disputes arising out of or in connection with this Agreement shall be submitted to the exclusive jurisdiction of the Courts of Fermo (Italy).

Although every effort has been made to provide accurate information, there may be technical or print errors in this catalogue. Videx reserves the right to make changes, corrections and improvements to such information at any time and without notice.











VIDEX ELECTRONICS S.P.A.

Via del Lavoro, 1 - 63846 Monte Giberto (FM) Italy Tel: (+39) 0734 631669 - Fax: (+39) 0734 632475 www.videx.it - info@videx.it facebook.com/videx.electronics



1 Osprey Trinity Park Trinity Way LONDON E4 8TD Phone: (+44) 0870 300 1240 Fax: (+44) 020 8523 5825 www.videxuk.com marketing@videxuk.com



Greece office: VIDEX HELLAS Electronics

48 Filolaou Str. **11633 ATHENS** Phone: (+30) 210 7521028 (+30) 210 7521998

(+30) 210 7560712 www.videx.gr

videx@videx.gr

Benelux office: NESTOR COMPANY NV

E3 laan, 93 B-9800 Deinze Phone: (+32) 9 380 40 20 Fax: (+32) 9 380 40 25 www.videx.be info@videx.be

Northern UK office: VIDEX SECURITY LTD

Unit 4-7

Chillingham Industrial Estate Chapman Street NEWCASTLE UPON TYNE - NE6 2XX Tech Line: (+44) 0191 224 3174 Phone: (+44) 0870 300 1240 Fax: (+44) 0191 224 1559

Danish office: VIDEX DANMARK

Hammershusgade 15 DK-2100 COPENHAGEN Phone: (+45) 39 29 80 00 Fax: (+45) 39 27 77 75 www.videx.dk videx@videx.dk

Dutch office: NESTOR COMPANY BV

Business Center Twente (BCT) Grotestraat, 64 NL-7622 GM Borne www.videxintercom.nl info@videxintercom.nl